3. Appellant filed a protest in this matter on 24 March 2016; 08 days after the contract was entered.

4. Appellant TLK Marketing Co., Ltd., filed a "Motion for Orders Confirming the Automatic Stay" in this matter on 06 May 2016.

*** Statement of Points and Authority ***

TLK states that its protest triggered the automatic stay mandated by 5 Guam Code Ann. §5425(g). That code section states, "In the event of a timely protest under Subsection (a) of this Section or under Subsection (a) of § 5480 of this Chapter, the Territory shall not proceed further with the **solicitation** or with the **award** of the contract prior to final resolution of such protest . . ." 5 Guam Code Ann. §5425(g)(emphasis added). Here there is nothing to "stay"; the contract had been awarded and the solicitation completed at the time of the protest. See Guam Imaging Consultants, Inc. vs. Guam Memorial Hospital, 2004 Guam 15, ¶34 (Guam 2004) "We therefore hold that the interim sole source contract was awarded to GRC prior to May 16, 2003. Accordingly, RADS' protest of the interim sole source contract did not trigger the automatic stay."

Appellant believes however that there were procedural failures and irregularities that render the contract void or perhaps prevented contract

formation. Those are questions and issues to be addressed in the appeal, not in a motion attendant to the appeal. The facts are that the solicitation is complete and contract awarded. This occurred before the protest. There is no stay.

It may be that the Office of Public Accountability ultimately determines that the procurement is flawed and issues curative orders (we don't believe it will), but the findings which would lead to such orders do not defeat the fact that the solicitation is concluded and a contract was signed prior to a protest.

*** Relief Requested ***

APPELLEE Guam Visitors Bureau respectfully Prays the Office of Public Accountability Deny Appellant's Motion for Orders Confirming an Automatic Stay.

Thomas J. Fisher

Legal Counsel for Appellee