Suite 401 DNA Building 238 Archbishop Flores St. Hagåtña, Guam 96910





То:	Mr. Glenn Leon Guerrero Director Department of Public Works		From:	Doris Flores Brooks Guam Public Auditor Office of Public Accountability			
	542 North Marine Upper Tumon, Gua Phone: (671)646-3 Fax: (671) 649-61	Corps Drive am 96913 121/3232	Pages:	2 (including cover page)			
	Joyce C.H. Tang, (Attorney for Appe	ellant Core Tech)	March 21, 2017				
CC:	Civille & Tang, PI 330 Hernan Cortez Hagatna, Guam 96 Phone: (671) 472- Fax: (671) 477-25	z Avenue Suite 200 910 8868/9	Phone: Fax:	(671) 475-0390 x. 208 (671) 472-7951			
Re:	OPA-PA-17-001 1	OPA-PA-17-001 Notice of Appointment of Hearing Officer					
□ Urgent	☐ For Review	☐ Please Comment	→ Please Re	ply			
Comments	:	4					
Please ackn	owledge receipt of the	his transmittal by re-sending	g this cover page	e along with your firm or agency's			
receipt stam	p, date, and initials o	f receiver.					
			Than	ık you,			
			Jerrio	ck Hernandez			
			Audi	itor			
			jherr	nandez@guamopa.com			

This facsimile transmission and accompanying documents may contain confidential or privileged information. If you are not the intended recipient of this fax transmission, please call our office and notify us immediately. Do not distribute or disclose the contents to anyone. Thank you.



1 2

3

4

56

7

8

9

1011

1213

14

1516

17

18

19

2021

2223

24

2526

27

28

OFFICE OF PUBLIC ACCOUNTABILITY

Doris Flores Brooks, CPA, CGFM Public Auditor

BEFORE THE PUBLIC AUDITOR PROCUREMENT APPEALS TERRITORY OF GUAM

IN THE MATTER OF

Core Tech International Corp.,
Appellant.

And

Department of Public Works,
Purchasing Agency.

Docket OPA PA-17-001

NOTICE OF APPOINTMENT OF HEARING OFFICER

The Public Auditor appoints Anthony R. Camacho, Esq., Hearing Officer in this matter.

Any objection to the appointment shall be filed within ten days of the date of this notice of appointment.

Date:

March 21, 2017

DORIS FLORES BROOKS, CPA, CGFM

Public Auditor of Guam

Broadcast Report

Date/Time Local ID 1

03-21-2017 6714727951

03:11:45 p.m.

Transmit Header Text Local Name 1

OFFICE OF THE PUBLIC AUDITOR

This document: Confirmed (reduced sample and details below) Document size: 8.5"x11"

Suite 401 DNA Building 238 Archbishop Flores St. Hagâtña, Guam 96910



То:	Mr. Glenn Leon Guerrero Director Department of Public Works	From:	Doris Flores Brooks Guam Public Auditor Office of Public Accountability 2 (including cover page)		
	542 North Marine Corps Drive Upper Tumon, Guam 96913 Phone: (671)646-3121/3232 Fax: (671) 649-6178	Pages:			
	Joyce C.H. Tang, Esq. (Attorney for Appellant Core Tech) Civille & Tang, PLLC	Date:	Murch 21, 2017		
CC:	330 Heman Cortez Avenue Suite 200 Hagatna, Guam 96910 Phone: (671) 472-8868/9 Fax: (671) 477-2511	Phone: Fax:	(671) 475-0390 x, 208 (671) 472-7951		

Re:	OPA-PA-17-001 N	totice of Appointment of Fiel			
☐ Urgent	☐ For Review	☐ Please Comment	✓ Please Reply	☐ Please Recycle	
_					

Comments:

Please acknowledge receipt of this transmittal by re-sending this cover page along with your firm or agency's receipt stamp, date, and initials of receiver.

> Thank you, Jerrick Hernandez jhernandez@guamopa.com

This facsimile transmission and accompanying documents may contain confidential or privileged information. If you are not the intended recipient of this fix transmission, please call our office and notify us immediately. Do not distribute or disclose the contents to anyone. Thank you.

Total Pages Scanned: 2

Total Pages Confirmed: 4

Total rages scallifed . 2		iiiieu . Z	Total rages commined.	Total Fages Committee : 4						
No.	Job	Remote Station	Start Time	Duration	Pages	Line	Mode	Job Type	Results	
001	286	649-6178	03:09:46 p.m. 03-21-2017	00:00:25	2/2	1	EC	HS	CP21600	
002	286	671 4772511	03:09:46 p.m. 03-21-2017	00:00:38	2/2	1	EC	HS	CP14400	

Abbreviations:

HS: Host send HR: Host receive WS: Waiting send PL: Polled local PR: Polled remote

MS: Mailbox save

MP: Mailbox print RP: Report

FF: Fax Forward

CP: Completed FA: Fail

TU: Terminated by user

TS: Terminated by system

G3: Group 3 EC: Error Correct